INSTALLATION INSTRUCTIONS



HEAVYWEIGHT Coupling



For heavy-duty installations requiring more than a standard No Hub coupling.





HEAVY DUTY COUPLING



Ends of cut pipe must be smooth and square.



Place Neoprene® gasket on no hub cast iron pipe or fitting. Place stainless steel shield assembly over the end of other pipe.





Butt ends of no hub cast iron pipe or fitting together inside the gasket until both are firmly seated against the center stop of gasket. Center the stainless steel shield assembly over the gasket.



Tightening Guidelines: (see 4 Band and 6 Band below)

NOTE: Clamp housing should NOT be positioned on raised stop marks or lettering.

TIGHTENING GUIDELINES:

4 Band Coupling:

- 1. Take the slack out of each clamp by hand tightening inner bands 2 and 3.
- 2. Take the slack out of each clamp by hand tightening outer bands 10 and 4.
- 3. Using the manufacturer's recommended calibrated torque wrench (Seekonk NC-80), tighten clamps alternately and firmly to 80 in/lbs. of torque, as in steps 1. and 2. above.




4 BAND COUPLING

TIGHTENING GUIDELINES:

6 Band Coupling:

- 1. Take the slack out of each clamp by hand tightening inner bands 3 and 4.
- 2. Take the slack out of each clamp by hand tightening inner bands 2 and 5.
- 3. Take the slack out of each clamp by hand tightening outer bands 1 and 6.
- 4. Using the manufacturer's recommended calibrated torque wrench (Seekonk NC-80), tighten clamps alternately and firmly to 80 in/lbs. of torque, as in steps 1., 2. and 3. above.



6 BAND COUPLING



Mission Rubber Company LLC | 1660 Leeson Lane | Corona, CA 92879

USA toll free 800.854.9991 fax 800.637.4601

